HP LaserJet Managed MFP E42540f



HP Managed MFPs and printers are optimized for managed environments. With increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



Easy to use, simple to manage HP FutureSmart firmware can be updated with the latest features² to optimize your

- This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds
 - investment for years to come.
 Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.³
 - Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
 - Set up this MFP fast, and easily manage device settings to help increase efficiency.

The world's most secure printing¹

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified⁴ to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Safeguard data stored on this MFP—keys, passwords, certificates, and more—with the embedded HP Trusted Platform Module.⁵

Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Optimize workflows, reduce steps and errors, and support mobile workers with optional MFP apps that meet your specific business needs.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless,⁶ Bluetooth[®] Low Energy, and NFC touch-to-print.
- Easily manage projects directly at the MFP with a customizable 4.3-inch (10.9 cm) color touchscreen.

Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings. 7
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for ${\rm Business.}^8$
- Save energy without sacrificing performance—this MFP is ENERGY STAR[®] and Blue Angel certified.
- Leverage HP End of Life Solutions to ensure your Hardware and Supplies are sustainably retired.

Product walkaround

Accessories, Supplies and Support

Supplies	4WN07A HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets
	4WN08A HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets
	7MV81A HP Everyday Business Paper, Glossy, 120 g/m2, A3 (297 x 420 mm), 150 sheets
	7MV82A HP Everyday Business Paper, Glossy, 120 g/m2, A4 (210 x 297 mm), 150 sheets
Accessories	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4QL32A HP Legic Secure USB Reader
	8FP31A HP Jetdirect LAN Accessory
	8ZN00A HP HIP2 Card Reader Accessory Kit
	B5L31A HP Foreign Interface Harness
	D9P29A HP Laser Jet Pro 550-sheet Feeder Tray
	X3D03A HP USB Universal Card Reader
	Y7C05A HP HIP2 Keystroke Reader
	W9024MC
Service and Support	U11E1E - HP 3y NBD LJ MNGD MFP E42540 SVC U11E2E - HP 4y NBD LJ MNGD MFP E42540 SVC U11E3E - HP 3y Ah 9x5 LJ MNGD MFP E42540 SVC U11E4E - HP 3y Ah 9x5 LJ MNGD MFP E42540 SVC U11E5E - HP 3y Ah 9x5 LJ MNGD MFP E42540 SVC U11E6E - HP 5y Ah 9x5 LJ MNGD MFP E42540 SVC U11E7E - HP3yChnlPartsOnly LJ MNGD MFP E42540 SVC U11E8E - HP4yChnlPartsOnly LJ MNGD MFP E42540 SVC U11E9E - HP3yChnlPartsOnly LJ MNGD MFP E42540 SVC U11E9E - HP3yChnlPartsOnly LJ MNGD MFP E42540 SVC U11F0PE - HP 1y PW NBD LJ MNGD MFP E42540 SVC U11F0PE - HP 1y PW NBD LJ MNGD MFP E42540 SVC U11F2PE - HP 1y PW Ah 9x5 LJ MNGD MFP E42540 SVC U11F2PE - HP 1y PW Ah 9x5 LJ MNGD MFP E42540 SVC U11F2PE - HP 1y PW Ah 9x5 LJ MNGD MFP E42540 SVC U11F2PE - HP 1y PW Ah 9x5 LJ MNGD MFP E42540 SVC U11F3PE - HP 1y PW Ah 9x5 LJ MNGD MFP E42540 SVC

Technical specifications

Model	HP LaserJet Managed MFP E42540f
Product number	39275A
Functions Control panel	Print, copy, scan, fax 4.32 Calor Constitution Franch Constant Danal
Print	4.3° Color Capacitive Touch Control Panel
Print technology	Laser
Print speed ⁸	Black (A4, normal): Up to 38 ppm (default); Up to 40 ppm (HP High Speed Mode); Black (A4, duplex): Up to 31 ipm
First page out ⁹	Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi ; Technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
Monthly duty cycle	Up to 120,000 pages A4; Recommended monthly page volume: 1,500 to 7,500 pages
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm; Maximum print area : 212 x 352 mm Automatic (default)
Duplex printing Copy	Automatic (deradul)
Copy speed	Black (A4): Up to 38 com
	Two-sided copying; Scalability, Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book
Copier specifications	Copy; A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed ¹²	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up to 35 ipm (ciolar): Duplex (A4): Up to 46 ipm (bw), up
Scanner specifications	Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS): Twain version: Version 2:1; Duplex ADF scanning: Deptical scan resolution: Up to 600 dpi Ontering to the characterization and increases of the characterization of the characterization of the characterization (CIS): The characterization of the cha
Scanner advanced features Recommended monthly scan	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
volume	900 to 4800
Scannable area	Maximum media size (flatbed): 216 x 297 mm ; Minimum media size (ADF): 127 x 178 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Fax	Vec 23 Elder
Fax ⁵	Yes, 33.6 kbps
Fax specifications	Fax memory: Dependent on the amount of available disk space; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; 256 levels of gray; Superfine: Up to 203 x 392 or 300 x 300 dpi; 256 levels of gray; Quick dialing: Up to 1000 numbers
Fax smart software features	Stored Faxes; Fax archiving; Fax forwarding: Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Processor speed	800 MHz
Connectivity	
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 FAX
Optional	HP Jetdirect LAN Accessory 8FP31A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Mobile printing capability ⁵	HP Perint; Apple Air/Print**; Mopria® Certified; Wi-Fi® Direct Printing; NEC Touch-to-print (optional); PrinterOn Print
Supported network protocols	Via built-in networking solution: TCP//IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, Discovery: SLP Bonjour, Web Services Discovery: IP Config: IPv4 (BootP, AutolP, AutolP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/3, HTTP/HTTP5, Syslog; Security: SNMPv3, SSL Cert Management, IPSec (IKEv1 and IKEv2), Firewall, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard) which supports: 10Base–T, 100Base–T, 802.3az (EEE) supports: 10Base–T, 802.3az (EE) supports: 10Base–T, 802.3az (EE) supports: 10Base–T, 802.3az (EE) support
Hard disk	Not supported
Memory	Standard: 2GB ;Maximum: ⁶ 2GB
Media handling	
Number of paper trays	Standard: 2 ;Maximum: 3
Media types	Paper (plain, EcoEfficient, light, heavy, bond, colored, letterhead, preprinted, pre punched, recycled, rough); envelopes; labels
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, A4, A5, B5 (UIS), B6 (UIS), 10 x 15 cm, A6, 16K, envelope (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); B6 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (UIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tr
Media handling	Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin
Media weight	Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²
Input capacity	
	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 10 envelopes ADF: Standard, 50 sheets
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Output capacity Compatible operating systems	
Output capacity Compatible operating systems Compatible network operating	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Output capacity Compatible operating systems	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Server; Linux; Citrix; UNIX; Novell Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com
Output capacity Compatible operating systems Compatible network operating systems	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8, Windows 8, I; Windows 7; Windows Client 05; Android; i05; Mobile 05; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Server; Linux; Citrix; UNIX; Novell
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Server; Linux; Citrix; UNIX; Novell Windows 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8; Windows 7; Windows Client 0S; Android; i0S; Mobile OS; mac0S 10.12 Sierra; mac0S 10.13 High Sierra; mac0S 10.14 Mojave; mac0S 10.15 Catalina Windows 11; Windows Server; Linux; Citrix; UNIX; Novell Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://1p2.om or http://123.hp.com Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre- Shared Key, Kerberos authentication, Suport SWA 10 (Psec configuration Pug-Ing, 802: 1X: authentication (EAP-PEAP; FAP-TIS), SIMPV3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Torse PAP FAP-TIPP Concertion Inspector, Security Checking with self-healing capability), Intrusion Detection (Constant in -device monitoring for attacks), Whitelisting (Idead sonly known good code), Embedded Trusted Platform Module, PIP Connection Inspector, Security Checking with self-healing capability), Intrusion Detection
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum; Up to 150 sheets Windows 11; Windows 8; Windows 8; Windows 8; Windows 7; Windows 7; Windows 7; Windows 7; Windows 10; Windows 8; Windows 11; Windows 8; Windows 11; Windows 8; Windows 8; Windows 8; Windows 8; Windows 11; Windows 8; Windows 11; Windows 8; Windows 8; Windows 8; Windows 8; Windows 11; Windows 8; Windows 11; Windows 8; Windows 8; Windows 8; Windows 8; Windows 11; Windows 8; Windows 11; Windows 8; Windows 11; Windows 5; Windows 10; Windows 8; Windows 10; Windows 1
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W × D × H)	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8.1; Windows Client 05; Android; i05; Mobile 05; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows 2erver; Linux; Citrix; UNIX; Novell Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available hard drike space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://hp.com or http://hp.com Identity management; Kerberos authentication, JDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WA-10 Psec comfiguration Pugu-Rp. B02: 1X authentication (EAP-PEAP; EAP-TLS), SNMPA), HTTPS, Centrol List, Data: Storage Encryption, Encrypted PDF & Email (uses FIP) 140 validated cryptographic librares from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials, Device: HP Sure Start Secure Box (BIOS Integrity Checking with self-healing capability), Intruson Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security Iock slot, USB port disablement; Security management: Compatible with PlatAdvantage Security Manager, Berusty Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility – Deployment Utility – Man
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Server; Linux; Citrix; UNIX; Novell Windows 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://hp.com or http://l123.hp.com Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre- shared Key, Kerberos authentication, Suport SWIA: OI Desc configuration Plug-in, 802.11X authentication (LGAP-PEAP; EAP-TLS), SNMPAY, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Tedentials, Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (Idea only known god code), Embedded Trusted Platform Module, HP Connection Inspector, Security Unck slot, USB port disablement; Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs HP Printer Ab JetAdmin Software, HP JetAdvantage Security Manager, BY SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 453 x 839 x 577 mm (printer fully open
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client 05; Android; i05; Mobile 05; mac05 10.12 Sierra; mac05 10.13 High Sierra; mac05 10.14 Mojave; mac05 10.15 Catalina Windows: 11; Windows 26erver; Linux; Citrix; UNIX; Novell Windows: 2 GB available had rids by space Internet connection or USB port Internet browser. For additional 05 hardware requirements see apple.com Mac 2 GB available had rids espace Internet connection or USB port Internet browser. For additional 05 hardware requirements see apple.com No software solutions are included in the Box only on http://hp.com or http://hp.com or http://hp.com Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre- shared Key, Kerberos authentication, Supports WIA-10 IPsec configuration pulg-in, 802.11 X authentication (LDAP authentication, EDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre- shared Key, Kerberos authentication, Supports WIA-10 IPsec configuration pulg-in, 802.11 X authentication (LDAP Centertials, Support); SLITIS (HTTPS), Encryted DPZ EAPE, FEAP-TEAPE; FEAP
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client 05; Android; i05; Mobile 05; mac05 10.12 Sierra; mac05 10.13 High Sierra; mac05 10.14 Mojave; mac05 10.15 Catalina Windows 11; Windows 2erver; Linux; Citrix; UNIX; Novell Windows 2 GB available had rike space Internet connection or USB port Internet browser. For additional 05 hardware requirements see microsoft.com Mac 2 GB available had rive space Internet connection or USB port Internet browser. For additional 05 hardware requirements see apple.com No software solutions are included in the Box only on http://tp.com or http://tp.avm or http://tp.avm Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional IP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre- shared Key, Kerberos authentication, Supports WJA-101Psec configuration pulg-in, 802.1 K authentication (EDP-FAPE; PA-FI-FAPE; PA-FI-FA
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client 0S; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Server; Linux; Citrix; UNIX; Novell Windows 2 GB available had risk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available had risk space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://hp.com or http://hp.com or http://hp.com or http://hp.com or http://hp.com Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shard Key, Kerberos authentication, Support SUM-10 ID Bez configuration pulg-in, 802.11 X authentication (EDP-PAPE; PA-PI-PAPE; PA-PI-PAPE
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8; Windows 8; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Server; Linux; Ctrix; UNIX; Novell Windows: 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://tp.com or http://tp.au.nom Identity management: Kerberos authentication, DAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre- shared Key, Kerberos authentication, Support SUA-10 (Psec configuration Jug-in, 802.11 X authentication (LBA-PEAP; EAP-TLS), SNMP43, HTTP5, Certificates, Access Control List; Data: Storage Encryption, Encrypted DPE & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SL/TLS (HTTP5), Encrypted TDF Modeh SUE Vectors authentication support disablement; Security Wanage, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs HP Universal Print Driver (Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 453 x 839 x 577 mm (printer fully opened) 13.01 kg Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: 10-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/-
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8, Windows 8; Windows 7; Windows 10; Kindows 10; Windows 10; Windows 8; Windows 8; Windows 7; Windows 7; Windows 10; Windows 10; Windows 20; Windows 8; Windows 8; Windows 7; Windows 7; Windows 10; Windows 2; Unix; Citris; UNIX; Novell Windows 211; Windows Server; Linux; Citris; UNIX; Novell Windows 2: GB available hard fielk space Internet connection or USB port Internet browser. For additional 05 hardware requirements see apple.com Mac 2: GB available hard fielk space Internet connection or USB port Internet browser. For additional 05 hardware requirements see apple.com No software solutions are included in the Box only on http://hp.com or http://123.hp.com Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shard Key, Kerberos authentication, Spuport SWIA-10 IPsec configuration Pug-in, 802.1X authentication (EAP-PEAP; EAP-TLS); NMPV93, HTTSP, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (Uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS); Encrypted Checking with self-healing capability), Intrusion Detection Compatible with HP LetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SMP Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Hrint Driver Onfiguration Utility - Driver D
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum; Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 8; Windows 7; Windows 7; Windows Client 05; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Server; Linux; Citrix; UNIX; Novell Windows 2 GB available hard dive space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac 2 GB available hard dive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://12.3.hp.com Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre- shared Key, Kerberos authentication, Supports WIA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted DP & Email (uses FIPS 140 validated cryptographic librares from Microsoft), SSI/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity); Checking with self-healing capability, Intrusion Detection Constant in-device montering for attacks, Mithelisting (used code), Embedded Trusted Pataform Module, HP Connection Inspector, Security Kasidanent; Security Kasidanent; Security Kasidanent; Security Kasidanent; Security Kasidanent; Platavastage Security Manage, HP SPMP Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Onver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 453 x 839 x 577 mm (printer fully opened) 13.01 kg Temperature: 15 to 32.5°C Humidity; 30 to 70% RH Temperature: 15 to 32.5°C Humidity; 30 to 70% RH Temperature: 20 to 40°C Acoustic power emis
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8.1; Windows 8.1; Windows 7; Windows 8.1; Windows 51; Windows 11; Windows 11; Windows 52; Windows 8.1; Windows 51; Windows 11; Windows 11; Windows 11; Windows 25 enver, Linux; Citrix; UNX; Novell Windows 12: Windows 11; Windows 8; Windows 8.1; Windows 7; Windows 20; UNX; Novell Windows 2: GB available hand disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://Inz.com or http://123.hp.com Identity management: Kerberos authentication, DDP authentication, 1000 user IN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WA-10 Ibsec configuration Plug-in, 802.1X authentication (Eveloptication, Developtication, Encrypted PDr & Email Luses FIPs 140 validated cryptographic librates from Microard, Systic Cedentias; Device: PLOY Evel Start Secure Boot (BOS Integrity). Checking with self-healing capability, Intrusion Election (Constant in-device monitoring for attack), Whitelisting loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: HP Printer Assistant, HP Web LetAdmin Software, HP JetMontage Security Manager, HP SMM Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver Only and taskes as 839 x 577 mm (printer fully opened) 13.01 kg Temperature: 15 to 22.5°C Humidity; 30 to 70% RH
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications ⁴	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10, Windows 8, 11; Windows 7, Windows Client OS, Android; IOS, Mobile OS, macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows Stever; Linux; Clirk; UNIX; Novell Windows 2: OB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://liz.auxin.pr. for additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://liz.auxin.pr. for additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://liz.auxin.pr. for additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://liz.auxin.pr. for additional OS hardware requirements see apple.com No software solutions are included in the Box only on http://liz.auxin.pr. for additional OS hardware requirements see apple.com Identify management; Karberos authentication, LDAP authentication, 1000 user PN codes, Optional HP and 31d party advanced authentication sclutors (E, p. badge readers). Network HP auxing and the advare requirements see apple.com Identify management: Karberos authentication, Support Windows 20, UNA power clineation (FAP PEAP EAP 12), Status 5), Status 20, Status 20
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer dimensions (W × D × H) Printer dimensions (W × D × H) Printer dimensions (W × D × H) Printer dimensions Acoustics Power Energy savings feature technology Certifications ⁴ Sustainable impact specifications	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 7; Windows Client OS; Android; IOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows S, Windows 8; Windows 8; Windows Client OS; Android; IOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 2: GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apile.com No software solutions are included in the Box only on http://123.hp.com Identity management: Kerberos authentication, IDDP authentication, ISDU user PN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate, Pre- shard Key, Kerberos authentication, Suports WiA-10 IPSec configuration Rug-in, Roz 2: IX authentication (EAP-FERA, PAC-TS); SMMPA; HTTPS, Certificates, Access Control LSE, Datas Storage Enryption, Enropyted PDF & Enral (uses FP) 40 validated error (yotographic Itikanes from Microsoft); Systi DS (ITSS); TISS (ITTSS); Enropyted Certificate; Device: HP sure Sard Strace Res Oto (Soliton); Wole Soliton; Wole Security Management: Compatible with HP JedAdming & Stuttory Mode Soliton; Systi DS (MTSS); Soliton (StraCA); Proxy Agent (Pact of HP WebJetAdmin), Printer Administrator Resource Kit Pre- Pre- shared Xey, Kerberos authentication; Susti DS (MTS); MTS (HTSP); Soliton (StraCA); Proxy Agent (Pact of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit Pre- Pre- Strace Adva (StraCA); Soliton (Stra
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications ⁴ Sustainable impact specifications Country of origin	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11, Windows 10, Windows 8, Windows 7, Windows C, Mindows C, Mindows C, Madoud J, Kolle OS, macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11, Windows S, Windows 8, Windows 8, Windows C, Windows C, Windows C, Windows S,
Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer mensions (W × D × H) Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications ⁴ Sustainable impact specifications	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 8; Windows 7; Windows Client OS; Android; IOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 11; Windows S, Windows 8; Windows 8; Windows Client OS; Android; IOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina Windows 2: GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apile.com No software solutions are included in the Box only on http://123.hp.com Identity management: Kerberos authentication, IDDP authentication, ISDU user PN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate, Pre- shard Key, Kerberos authentication, Suports WiA-10 IPSec configuration Rug-in, Roz 2: IX authentication (EAP-FERA, PAC-TS); SMMPA; HTTPS, Certificates, Access Control LSE, Datas Storage Enryption, Enropyted PDF & Enral (uses FP) 40 validated error (yotographic Itikanes from Microsoft); Systi DS (ITSS); TISS (ITTSS); Enropyted Certificate; Device: HP sure Sard Strace Res Oto (Soliton); Wole Soliton; Wole Security Management: Compatible with HP JedAdming & Stuttory Mode Soliton; Systi DS (MTSS); Soliton (StraCA); Proxy Agent (Pact of HP WebJetAdmin), Printer Administrator Resource Kit Pre- Pre- shared Xey, Kerberos authentication; Susti DS (MTS); MTS (HTSP); Soliton (StraCA); Proxy Agent (Pact of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit Pre- Pre- Strace Adva (StraCA); Soliton (Stra

Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims

² Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature

³ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

⁴ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

⁵ Use of the HP Trusted Platform Module may require a firmware upgrade.

⁶ Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

⁷ Dependent upon country setup specifications.

⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth[®] Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam

⁹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

Technical specifications disclaimers

¹ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors

² Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield

³ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies ⁴ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

⁵ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

⁶ Memory not expandable on this product

⁷ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁸ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

⁹ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see

http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, document complexity, media size, media orientation and media type

¹⁰ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel

¹¹ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

¹² Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.



© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ap-en February 2023

